

# Interactive Web Apps with shiny Cheat Sheet

learn more at [shiny.rstudio.com](https://shiny.rstudio.com)



## Basics

A **Shiny** app is a web page (**UI**) connected to a computer running a live R session (**Server**)



Users can manipulate the UI, which will cause the server to update the UI's displays (by running R code).

### App template

Begin writing a new app with this template. Preview the app by running the code at the R command line.

```
library(shiny)
ui <- fluidPage()
server <- function(input, output){}
shinyApp(ui = ui, server = server)
```

- **ui** - nested R functions that assemble an HTML user interface for your app
- **server** - a function with instructions on how to build and rebuild the R objects displayed in the UI
- **shinyApp** - combines **ui** and **server** into a functioning app. Wrap with **runApp()** if calling from a sourced script or inside a function.

### Share your app



The easiest way to share your app is to host it on shinyapps.io, a cloud based service from RStudio

1. Create a free or professional account at <http://shinyapps.io>
2. Click the **Publish** icon in the RStudio IDE (>=0.99) or run: `rsconnect::deployApp("<path to directory>")`

### Build or purchase your own Shiny Server

at [www.rstudio.com/products/shiny-server/](https://www.rstudio.com/products/shiny-server/)




## Building an App - Complete the template by adding arguments to fluidPage() and a body to the server function.

Add inputs to the UI with **\*Input()** functions  
Add outputs with **\*Output()** functions  
Tell server how to render outputs with R in the server function. To do this:

1. Refer to outputs with **output\$<id>**
2. Refer to inputs with **input\$<id>**
3. Wrap code in a **render\***() function before saving to output

```
library(shiny)
ui <- fluidPage(
  numericInput(inputId = "n",
    "Sample size", value = 25),
  plotOutput(outputId = "hist")
)
server <- function(input, output) {
  output$hist <- renderPlot({
    hist(rnorm(input$n))
  })
}
shinyApp(ui = ui, server = server)
```



Save your template as **app.R**. Alternatively, split your template into two files named **ui.R** and **server.R**.

```
library(shiny)
ui <- fluidPage(
  numericInput(inputId = "n",
    "Sample size", value = 25),
  plotOutput(outputId = "hist")
)
server <- function(input, output) {
  output$hist <- renderPlot({
    hist(rnorm(input$n))
  })
}
shinyApp(ui = ui, server = server)
```

```
# ui.R
fluidPage(
  numericInput(inputId = "n",
    "Sample size", value = 25),
  plotOutput(outputId = "hist")
)


# server.R
function(input, output) {
  output$hist <- renderPlot({
    hist(rnorm(input$n))
  })
}
```

**ui.R** contains everything you would save to ui.

**server.R** ends with the function you would save to server.


No need to call **shinyApp()**.

Save each app as a directory that contains an **app.R** file (or a **server.R** file and a **ui.R** file) plus optional extra files.



Launch apps with `runApp(<path to directory>)`

## Outputs - render\*() and \*Output() functions work together to add R output to the UI



**DT::renderDataTable(expr,**  
options, callback, escape,  
env, quoted)



**dataTableOutput(outputId, icon, ...)**



**renderImage(expr, env, quoted, deleteFile)**

**imageOutput(outputId, width, height, click,**  
dblclick, hover, hoverDelay, hoverDelayType,  
brush, clickId, hoverId, inline)



**renderPlot(expr, width, height, res, ..., env,**  
quoted, func)

**plotOutput(outputId, width, height, click,**  
dblclick, hover, hoverDelay, hoverDelayType,  
brush, clickId, hoverId, inline)

Variable	Mean	Median	Mode	Std. Dev.	Min.	Max.
1	1.00	1.00	1.00	0.00	1.00	1.00
2	1.00	1.00	1.00	0.00	1.00	1.00
3	1.00	1.00	1.00	0.00	1.00	1.00
4	1.00	1.00	1.00	0.00	1.00	1.00
5	1.00	1.00	1.00	0.00	1.00	1.00

**renderPrint(expr, env, quoted, func,**  
width)

**verbatimTextOutput(outputId)**

**renderTable(expr, ..., env, quoted, func)**

**tableOutput(outputId)**

foo

**renderText(expr, env, quoted, func)**

**textOutput(outputId, container, inline)**

**renderUI(expr, env, quoted, func)**

**uiOutput(outputId, inline, container, ...)**  
& **htmlOutput(outputId, inline, container, ...)**

## Inputs - collect values from the user

Access the current value of an input object with **input\$<inputId>**. Input values are **reactive**.

**Action** **actionButton(inputId, label, icon, ...)**

**Link** **actionLink(inputId, label, icon, ...)**

☒ **Choice 1** **checkboxGroupInput(inputId, label, choices, selected, inline)**

☒ **Choice 2**

☐ **Choice 3**

☒ **Check me** **checkboxInput(inputId, label, value)**

**dateInput(inputId, label, value, min,**  
max, format, startview, weekstart,  
language)

**dateRangeInput(inputId, label, start,**  
end, min, max, format, startview,  
weekstart, language, separator)

**Choose File** **fileInput(inputId, label, multiple,**  
accept)

**1** **numericInput(inputId, label, value,**  
min, max, step)

**passwordInput(inputId, label, value)**

☒ **Choice A** **radioButtons(inputId, label, choices,**  
selected, inline)

☐ **Choice B**

☐ **Choice C** **selectInput(inputId, label, choices,**  
selected, multiple, selectize, width,  
size) (also **selectizeInput()**)

**0 5 10** **sliderInput(inputId, label, min, max,**  
value, step, round, format, locale,  
ticks, animate, width, sep, pre, post)

**Apply Changes** **submitButton(text, icon)**  
(Prevents reactions across entire app)

**Enter text** **textInput(inputId, label, value)**

